



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/931,862	08/20/2001	Hae-Kyoung Kim	249/274	3541

7590 04/13/2005  
LEE & STERBA, P.C.  
1101 Wilson Boulevard  
Suite 2000  
Arlington, VA 22209

EXAMINER	
DOVE, TRACY MAE	
ART UNIT	PAPER NUMBER
1745	
DATE MAILED: 04/13/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/931,862	<b>Applicant(s)</b> KIM, HAE-KYOUNG	
	<b>Examiner</b> Tracy Dove	<b>Art Unit</b> 1745	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 03 February 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-3,5-12 and 14-25 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3,5-12 and 14-25 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

Art Unit: 1745

### DETAILED ACTION

This Office Action is in response to the communication filed on 2/3/05. Applicant's arguments have been considered, but are not persuasive. Claims 1-3, 5-12 and 14-25 are pending. Claims 4 and 13 have been canceled. This Action is made **FINAL**, as necessitated by amendment.

#### *Claim Rejections - 35 USC § 112*

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 25 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 25 recites "the fuel cell has improved cell efficiency when compared to a fuel cell employing an identical ionic conductive polymer membrane without a reinforcing agent", which is not supported by the specification as filed. A fuel cell comprises many elements such as an anode, a cathode, separator plates, gaskets, a manifold and coating materials that affect the efficiency of the fuel cell. The specification does not enable the claim because it does not require all elements of *the fuel cell* to be "identical" with the exception of the membrane.

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 1745

Claims 1-3, 5-12 and 14-25 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

A broad range or limitation together with a narrow range or limitation that falls within the broad range or limitation (in the same claim) is considered indefinite, since the resulting claim does not clearly set forth the metes and bounds of the patent protection desired. See MPEP § 2173.05(c). In the present instance, claim 1 recites the broad recitation “at least one selected from the group consisting of a moisture retentive material and a catalyst”, and the claim also recites “wherein the reinforcing agent comprises ...the moisture retentive material and...the catalyst” which is the narrower statement of the range/limitation.

The rejection above also applies to claims 10, 19 and 23 wherein each claim recites the broad recitation “at least one selected from the group consisting of a moisture retentive material and a catalyst”, and each claim also recites “wherein the reinforcing agent comprises ...the moisture retentive material and...the catalyst” which is the narrower statement of the range/limitation.

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-3, 5-12 and 14-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Watanabe et al., US 5,766,787 in view of Grot et al., US 5,919,583.

Art Unit: 1745

Watanabe teaches a solid polymer electrolyte fuel cell comprising a solid polymer electrolyte membrane incorporating 5.8 wt% platinum catalyst and 5 wt% silica in Nafion (perfluorocarbon sulfonic acid cation exchange resin) or 5.8 wt% platinum catalyst and 5 wt% titania ( $\text{TiO}_2$ ) in Nafion. See col. 6, lines 40-48 and col. 8, lines 23-64. Thus, the platinum catalyst is about 54 wt% and the silica (or titania) is about 46 wt% of the total amount of catalyst plus metal oxide (reinforcing agent) contained in the polymer electrolyte membrane. The membrane comprises 0.01-80 wt% of at least one metal catalyst (Pt, Au, Pd, Rh, Ir and/or Ru) and 0.01-50wt% of particles and/or fibers of at least one metal oxide (silica, titania and/or zirconia). See col. 3, lines 29-42. Methanol gas and oxygen gas may be used as the reactant gases for the fuel cell (col. 3, lines 57-59). Watanabe teaches the membrane possesses the abilities of producing water by itself and of retaining the water so that the ionic conductivity and the effect of depressing the crossover is excellent (abstract).

Watanabe does not explicitly state the polymer electrolyte membrane includes a porous support.

However, Grot teaches a cation exchange membrane made from a polymer having cation exchange groups and containing inorganic filler. The membrane exhibits reduced fuel crossover for fuel cells employing direct feed organic fuels such as methanol (see abstract). Preferably the inorganic filler is an inorganic proton conductor selected from the group consisting of titanium dioxide, tin and hydrogen mordenite, oxides and phosphates of zirconium, and mixtures thereof. The inorganic proton conductor comprises 2-30 wt% of the membrane (col. 2, lines 25-38). The membrane may optionally include a porous support for improving mechanical properties, for decreasing cost and/or other reasons. The porous support may be a polyolefin (polyethylene or

Art Unit: 1745

polypropylene) or polytetrafluoroethylene (PTFE) having at least 40% porosity (col. 5, lines 1-31). A membrane can be made using a porous support by coating cation exchange polymer on the support so that the coating is on the outside surfaces as well as being distributed through the internal pores (impregnates) of the support (col. 5, lines 32-33). The inorganic filler is dispersed in the membrane (impregnates) and may further be a zeolite material (col. 5, lines 58-63). Note titanium dioxide, zirconium oxide, mordenite and zeolite are moisture retentive materials, as described in the instant specification (page 9, lines 9-21).

Grot further teaches the cation exchange groups of the polymer are selected from the group consisting of sulfonate, carboxylate, phosphonate, imide, sulfonimide and sulfonamide. In a preferred embodiment, highly fluorinated polymer with sulfonate groups is employed (col. 2, lines 39-50). The term "sulfonate groups" is intended to refer either to sulfonic acid groups or alkali metal or ammonium salts of sulfonic acid groups (col. 3, lines 57-60). Example 2 teaches a solution containing a sulfonated perfluorocarbon copolymer having as a perfluorocarbon backbone and side chains  $\text{--O--CF}_2\text{CF}(\text{CF}_3)\text{--O--CF}_2\text{CF}_2\text{SO}_3\text{H}$  in hydrogen ion form and which has an equivalent weight of about 1080. Tin mordenite is added to the solution and the solution is poured onto a polytetrafluoroethylene sheet substrate (porous support).

Therefore, the invention as a whole would have been obvious to one having ordinary skill in the art at the time the invention was made because one of skill would have been motivated to incorporate a porous support in the polymer electrolyte membrane of Watanabe in order to improve the mechanical properties and/or decrease the cost of the membrane (see Grot col. 5, lines 1-3). Grot teaches that the polymer electrolyte membranes optionally include a porous support. Therefore, one of skill in the art would be motivated to provide a porous support in the

Art Unit: 1745

polymer electrolyte membrane of Watanabe in order to improve the mechanical properties of the membrane and/or to decrease the cost of the membrane. Grot teaches membranes containing a cation exchange polymer and a reinforcing agent (as defined by the instant specification) may or may not include a porous support. Both Watanabe and Grot teach direct methanol fuel cells.

Regarding claims 9 and 18, “formed by impregnating or spray-coating the porous support with a slurry of the ion-exchange polymer and the reinforcing agent” is a product-by-process limitation. The courts have ruled product-by-process limitations, in the absence of unexpected results, are obvious. See MPEP 2113.

\*

Claims 1-3, 6-12 and 15-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bahar et al., US 5,635,041.

Bahar teaches a composite membrane comprising a base material 4 and an ion exchange material/resin 2. The base material is a porous microstructure (porous support) and the ion exchange resin impregnates the membrane, i.e. base material (col. 3, lines 29-40). The ion exchange material may be comprised of at least in part a powder, such as but not limited to, carbon black, graphite, nickel, silica, titanium dioxide and platinum black (col. 2, lines 58-61). Optionally, the ion exchange materials may be complemented by finely divided powders or other (non-ionic) polymers to provide final composites. Such a finely divided powder may be selected from organic or inorganic compounds such as, but not limited to, carbon black, graphite, nickel, silica (SiO<sub>2</sub>), titanium dioxide (TiO<sub>2</sub>) or platinum black (catalyst). The powders provide specific added effects such as electrical conductivity, thermal conductivity, catalytic effects and/or enhanced or reduced reactant transport properties (col. 4, line 66-col. 5, line 8). Note silica and

Art Unit: 1745

titanium dioxide are moisture retentive materials and platinum is a catalyst, as described in the instant specification (page 9, lines 9-21).

Regarding claims 6-7, a preferred base material is expanded polytetrafluoroethylene (ePTFE) having a porosity of greater than 35%, preferably between 70-95% (col. 3, lines 62-67).

Regarding claim 8, suitable ion exchange materials include perfluorinated sulfonic acid resin, perfluorinated carboxylic acid resin, polyvinyl alcohol, divinyl benzene, styrene-based polymers and metal salts with or without a polymer (col. 4, lines 58-63).

Regarding claims 9 and 23, a solution is prepared containing an ion exchange material (and optionally a finely divided powder). The solution may be applied to the base material by any conventional coating technique including roll coating, gravure coating, doctor coating, kiss coating, dipping, brushing, painting or spraying so long as the liquid solution is able to penetrate the interstices and interior volume of the base material (col. 6, lines 19-27).

Regarding claims 10-12 and 15-18, the composite membrane may be used in a fuel cell (claim 4). Ion exchange membranes are used in polymer electrolyte fuel cells as solid electrolytes (col. 1, lines 14-15). The composite membrane of Bahar may be used in various applications, including fuel cells and batteries (col. 3, lines 41-44).

Regarding claims 19-22, a direct methanol fuel cell (DMFC) has the same structure as the polymer electrolyte membrane fuel cell (PEMFC), but uses liquid methanol, instead of hydrogen, as a fuel source (see page 3, lines 13-14 of the instant specification "Description of Related Art). Thus, the direct methanol fuel cell of claim 19 is a polymer electrolyte fuel cell (taught by Bahar). Note that whether methanol or hydrogen is used as the fuel source, the fuel cell is a



Art Unit: 1745

polymer electrolyte type fuel cell (the terminology of the preamble does not limit the claimed structure MPEP 2111.02 ).

Bahar does not explicitly teach the reinforcing agent comprises about 3-90% by weight of the moisture retentive material and about 10-97% by weight of the catalyst, based on the total weight of the reinforcing agent.

However, the invention as a whole would have been obvious to one having ordinary skill in the art at the time the invention was made because Bahar teaches the ion exchange material may be comprised of at least in part a powder, such as but not limited to, carbon black, graphite, nickel, silica, titanium dioxide and platinum black (col. 2, lines 58-61). Optionally, the ion exchange materials may be complemented by finely divided powders or other (non-ionic) polymers to provide final composites. Such a finely divided powder may be selected from organic or inorganic compounds such as, but not limited to, carbon black, graphite, nickel, silica ( $\text{SiO}_2$ ), titanium dioxide ( $\text{TiO}_2$ ) or platinum black (catalyst). Note silica and titanium dioxide are moisture retentive materials and platinum is a catalyst, as described in the instant specification (page 9, lines 9-21). It is prima facie obvious to combine two compositions, each of which is taught by the prior art to be useful for the same purpose, in order to form a third composition which is to be used for the very same purpose, *In re Kerkhoven*, 205 USPQ 1069, 1072.

Furthermore, Bahar teaches the powders provide specific added effects such as electrical conductivity, thermal conductivity, catalytic effects and/or enhanced or reduced reactant transport properties (col. 4, line 66-col. 5, line 8). One of skill would have been motivated to provide amounts of the reinforcing agents of Bahar in order to provide an ion exchange material with the desired electrical conductivity, thermal conductivity, catalytic effects and/or enhance or

Art Unit: 1745

reduced reactant transport properties. Bahar teaches silica, titanium dioxide and platinum are known materials added to the ion exchange polymer to provide improved electrical conductivity, thermal conductivity, catalytic effects and/or enhanced or reduced reactant transport properties.

***Response to Arguments***

Applicant's arguments filed 2/3/05 have been fully considered but they are not persuasive.

35 U.S.C. 102(b) in view of Bahar

Applicant's arguments with respect to Bahar have been considered but are moot in view of the new ground(s) of rejection.

35 U.S.C. 102(b) in view of Grot

Applicant's arguments with respect to Grot have been considered but are moot in view of the new ground(s) of rejection.

35 U.S.C. 103(a) over Watanabe in view of Grot

Applicant argues the combination does not result in the presently claimed invention, but results in an ion-exchange polymer containing conventional additives and fillers and a porous support. Examiner points out that the "conventional additives" disclosed by Watanabe and Grot are the same additives claimed by the instant invention. Specifically, Watanabe teaches the solid polymer electrolyte comprises at least one metal catalyst and may further contain a metal oxide (abstract). The catalyst materials are disclosed in the abstract and the metal oxide materials are disclosed in column 3, lines 38-41. Therefore, it is unclear what Applicant is attempting to show by stating the combination contains "conventional additives and fillers". Applicant argument the

Art Unit: 1745

additives and fillers are optional is not persuasive because Watanabe teaches a specific example wherein the membrane comprises both platinum catalyst and silica (8:55-57).

Applicant asserts the inclusion of the additive and fillers of Watanabe “would have little or no effect on the ultimate properties of the ion-exchange polymer”. It is unclear how Applicant reaches this conclusion. One need only review the abstract to conclude that the membrane of Watanabe “possesses the abilities of producing water by itself and of retaining the water so that the ionic conductivity and the effect of depressing the crossover is excellent”. Examiner requests that Applicant point out the section of the disclosure of the cited prior art that “suggests that the inclusion of these fillers and additives would not have an impact on the properties of the ultimate membrane, or at the very best, would have little impact if any”, as asserted by Applicant in the amendment.

Applicant alleges unexpected results. However, unexpected results must distinguish the claimed invention over the prior art of record. An example showing unexpected results between a membrane fabricated with the reinforcing agent and a membrane fabricated without the reinforcing agent does not distinguish over the cited prior art because the cited prior art teaches a membrane fabricated with a reinforcing agent.

Applicant argues the prior art cited fails to specifically teach the addition of a “reinforcing agent” in addition to the ion exchange polymer, and therefore teaches away from the claimed invention. It is unclear how Applicant reaches this conclusion. Watanabe clearly discloses additives (reinforcing agents) may be used in addition to the ion exchange polymer. Applicant’s argument that the fillers and additives “become part of the polymer” is not

Art Unit: 1745

supported. It is unclear how the Applicant concludes that the fillers and additives become part of the polymer.

The declaration under 37 CFR 1.132 filed 2/3/05 is insufficient to overcome the rejection of claims 1-3, 5-12 and 14-25 based upon Watanabe in view of Grot as set forth in this Office action because: the declaration was incomplete when filed on 2/3/05. The declaration states the "results shown in Figure 1", however, the declaration did not contain Figure 1. The declaration contains no data, thus, Examiner cannot make a proper comparison with the prior art of record. Furthermore, the limited information provided in the declaration is not commensurate in scope with the claimed invention.

Note that any new evidence submitted in a declaration after final rejection (not previously presented) will not be considered.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 1745

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tracy Dove whose telephone number is 571-272-1285. The examiner can normally be reached on Monday-Thursday (9:00-7:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

April 8, 2005

A handwritten signature in black ink, appearing to read 'TDove', with a long horizontal flourish extending to the right.

**TRACY DOVE  
PRIMARY EXAMINER**